



**UNIVERSITI PUTRA MALAYSIA**

**POLYMERASE CHAIN REACTION BASED-ASSAYS FOR RAPID  
DETECTION AND SUBTYPING OF TYPE A INFLUENZA VIRUSES**

**BROOMAND CHAHARAEIN**

**FPV 2006 1**

**POLYMERASE CHAIN REACTION BASED-ASSAYS FOR RAPID  
DETECTION AND SUBTYPING OF TYPE A INFLUENZA VIRUSES**

**By**

**BROOMAND CHAHARAEIN**

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,  
in Fulfilment of the Requirements for the Degree of Doctor of Philosophy**

**February 2006**



## **DEDICATION**

**To my parents, wife, children, and siblings.**

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Doctor of Philosophy

**POLYMERASE CHAIN REACTION BASED ASSAYS FOR RAPID  
DETECTION AND SUBTYPING OF TYPE A INFLUENZA VIRUSES**

By

**BROOMAND CHAHARAEIN**

**February 2006**

**Chairman: Professor Aini Ideris, PhD**

**Faculty: Veterinary Medicine**

Highly pathogenic avian influenza (HPAI) virus causes high morbidity, mortality and still is a big threat in poultry industry. The recently raised awareness of the threat of a new influenza pandemic has stimulated interests in the development of a rapid detection method for influenza A viruses. In this study, four diagnostic methods for the detection of type A influenza viruses were explored. A conventional one-tube nucleoprotein reverse transcriptase polymerase chain reaction (NP RT-PCR) was developed for rapid detection of avian influenza A viruses. This method successfully detected 14 different haemagglutinin (HA) subtypes of different origins.

A multiplex RT-PCR that successfully amplified three RNA templates of H5, H7 and H9 in one tube was also developed. The designed primers were specific in amplification of the HA genes of H5, H7 and H9 of type A influenza viruses. No amplification was observed with other avian infectious viruses such as Newcastle disease virus, infectious bronchitis virus and infectious

bursal disease virus. An enzyme-linked immunosorbent assay (ELISA) detection method was then developed to detect the amplified PCR products. This method was 10 times more sensitive than the detection of PCR product using agarose gel electrophoresis. This method (RT-PCR-ELISA) was as sensitive as virus isolation in specific-pathogen-free (SPF) embryonated eggs. The detection limit of the RT-PCR-ELISA was compared with agarose gel electrophoresis and one-step SYBR Green I real time PCR. The RT-PCR-ELISA was 10 times less sensitive than SYBR Green I real time PCR.

The whole process for the detection of type A influenza virus and the avian H5, H7 and H9 subtypes, from extraction of RNA to analysis of PCR product by agarose gel electrophoresis or colorimetric assay can be completed within 6 h. It provides a rapid means of identification of the type and subtypes of influenza viruses and would be very useful for their surveillance. The advantage of using an ELISA reader is in removing any element of subjective interpretation as a source of error. The methods developed in this study, were tested on suspected cases. The finding indicated that the methods are rapid, sensitive and specific, and thus would be a method of choice for the surveillance of avian influenza virus. Moreover, the RT-PCR-ELISA method allows handling of a large number of samples and can be used in many diagnostic laboratories. Among the four methods developed, the SYBR Green I real time PCR was the best method in terms of sensitivity and specificity. This is followed by RT-PCR-ELISA, multiplex and conventional RT-PCR assays.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia  
sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

**KAEDAH PENGESANAN PANTAS DAN PENGELASAN VIRUS  
INFLUENZA TIP A BERDASARKAN TINDAK BALAS RANTAI  
POLIMERASE**

Oleh

**BROOMAND CHAHARAEIN**

**February 2006**

**Pengerusi:      Profesor Aini Ideris, PhD**

**Fakulti:         Perubatan Veterinar**

Virus influenza avian (AIV) yang berpatogenik tinggi menyebabkan kadar morbiditi serta kadar kematian yang tinggi dan masih merupakan ancaman besar terhadap industri poltri. Kewujudan kesedaran terhadap merebaknya ancaman penyebaran virus influenza baru pada masa kebelakangan ini telah menimbulkan minat terhadap pembangunan kaedah pengesanan pantas virus influenza A. Dalam kajian ini, empat kaedah diagnosis telah dibangunkan dengan jayanya. Kaedah satu tiub tindak balas rantai polimerase transkripsi berbalik nukleoprotein (NP RT-PCR) konvensional telah dibangunkan untuk pengesanan pantas virus influenza A avian. Kaedah ini berjaya mengesan 14 subtip hemagglutinin HA berlainan dari pelbagai sumber asal.

Kaedah RT-PCR “multipleks” juga dibangunkan dan berjaya mengamplifikasi 3 templat asid ribonuklei (RNA) subtip H5, H7 dan H9 dalam satu tiub. Primer-primer yang direka adalah spesifik dalam amplifikasi gen HA untuk

H5, H7 dan H9 virus influenza jenis A. Amplifikasi tidak didapati bagi virus berjangkit lain seperti virus penyakit Newcastle, virus bronkitis berjangkit dan virus penyakit bursa berjangkit. Kemudian, suatu kaedah pengesanan menggunakan kaedah ELISA telah dibangunkan untuk mengesan produk PCR yang telah diamplifikasi. Kaedah ini didapati 10 kali ganda lebih sensitif berbanding pengesanan produk PCR dengan menggunakan kaedah elektroforesis gel agaros. Kaedah ini (RT-PCR-ELISA), adalah sama sensitif dengan kaedah pemencilan virus dalam telur berembrio bebas patogen spesifik (SPF). Kaedah PCR masa-nyata SYBR Green 1 satu langkah juga telah dibangunkan dan dibandingkan dengan elektroforesis gel serta PCR-ELISA. PCR masa-nyata SYBR Green 1 adalah 10 kali ganda lebih sensitif berbanding RT-PCR-ELISA.

Keseluruhan proses pengesanan virus influenza jenis A dan subtipe H5, H7 serta H9, bermula daripada pengekstrakan RNA sehingga menganalisis produk PCR secara elektroforesis gel atau kaedah kolorimetri boleh disempurnakan dalam masa 6 jam. Ini memberikan cara yang lebih pantas untuk pengenalpastian tipe dan subtipe virus influenza dan sangat berguna untuk pemantauan virus influenza. Kelebihan penggunaan pembaca ELISA adalah dalam penyingkiran sebarang elemen penafsiran subjektif yang merupakan sumber kesilapan.

Empat kaedah yang dibangunkan dalam kajian ini telah diuji keatas kes yang disyaki. Penemuan menunjukkan kaedah ini adalah pantas, sensitif, dan spesifik, oleh itu merupakan kaedah pilihan mengesan virus influenza avian.

Malahan, kaedah-kaedah tersebut boleh mengendalikan kuantiti sampel yang banyak serta boleh digunakan dalam banyak makmal-makmal diagnosis. Diantara empat kaedah yang dibangunkan, kaedah PCR masa-nyata SYBR Green 1 adalah yang terbaik dari segi sensitiviti dan spesifisiti. Ini diikuti dengan kaedah RT-PCR-ELISA, multiplex dan konvensional RT-PCR.



## ACKNOWLEDGEMENTS

I would like to extend my heartiest gratitude and appreciation to **Professor Dr. Aini Ideris**, Chairman of the Supervisory Committee for providing invaluable advice, unique assistance, excellent guidance, constructive criticism, encouragement and motivation that enabled me to accomplish the PhD program efficiently.

My sincere thanks and appreciation is for **Associate Professor Dr. Abdul Rahman Omar**, a member of the supervisory committee for his constructive suggestions, proper guidance, encouragement and his brotherhood and social support during my study period. He was available almost always to help and support me with unexpected patience.

I would like to extend my sincere gratitude and appreciation to **Professor Datin Dr. Khatijah Yusoff**, who provided valuable suggestions, assistance and brilliant comments towards accomplishing my PhD project.

I am also grateful to **Professor Dr. Mohd Zamri Saad**, Dean, Faculty of Veterinary Medicine and **Associate Professor Dr. Mohd Hair Bejo**, Deputy Dean for Research and Postgraduate Studies, Faculty of Veterinary Medicine for allowing me to use the facilities in the Faculty.

I am also grateful to the staff members of the Biologics Laboratory, Puan Rodiah Hussin and Puan Rohani Ahdirin for always being so willing to render

assistance throughout the course of the study. I would also like to extend my thanks to all staff members of the Faculty of Veterinary Medicine and School of Graduate Studies, Universiti Putra Malaysia for helping me in one way or another, towards the completion of my study.

My heartfelt appreciation also goes to my parents, brothers, sisters, and other relatives and friends, who always encouraged and supported me during my study period. My special thanks and appreciation are for my wife (**Zahra Moradi Borna**) and children (**Ehsan, Mohsen and Afrooz**) for their patience, continuous support and understanding during the period of my study.

My thanks also go to my friends, Dr. Reza Badjian, Dr. Davood Hosseini, Dr. Hassan Fazaeli, Dr. Reza Rafiee, Dr. Alaa Abdul Raoof, Dr. Karim Alwan, Dr. Mohammad Ali Bahmaninejad, Mohammed Ghrici, Hazalina, Kong Lih Ling, Tan Sheau Wei, Wan Keng Fei, Balaram Thapa, Karuna Sharma, ...(to name a few) for their cooperation during my study period. Special thanks to Dato, Dr. Abdul Aziz Jamaludin, Dr. Sharifah Syed Hassan, Research Director of Veterinary Research Institute (VRI), Dr. Shamshad and Dr. Sohayati, as well as colleagues of the same institute for their cooperation and moral support. I am also grateful to Dr R.G. Webster at St. Jude Children's Research Hospital, Memphis, TN, USA, for providing the RNA of different subtypes of influenza viruses.

I certify that an Examination Committee has met on 24<sup>th</sup> February 2006 to conduct the final examination of Broomand Chaharaein on his Doctor of Philosophy thesis entitled "Polymerase Chain Reaction-Based Assays for Rapid Detection and Subtyping of Type A Influenza Viruses" in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulations 1981. The Committee recommends that the candidate be awarded the relevant degree. Members of the Examination Committee are as follows:

**Mohd Hair Bejo, PhD**

Associate Professor  
Faculty of Veterinary Medicine  
Universiti Putra Malaysia  
(Chairman)

**Siti Suri Arshad, PhD**


Associate Professor  
Faculty of Veterinary Medicine  
Universiti Putra Malaysia  
(Internal examiner)

**Rozita Rosli, PhD**

Associate Professor  
Faculty of Medicine and Health Sciences  
Universiti Putra Malaysia  
(Internal examiner)

**Ching-Ho Wang, PhD**

Professor  
Faculty of Veterinary Medicine  
National Taiwan University  
(External Examiner)



---

**HASANAH MOHD GHAZALI, PhD**  
Professor/Deputy Dean  
School of Graduate Studies  
Universiti Putra Malaysia

Date: 27 MAR 2006



The thesis submitted to the Senate of Universiti Putra Malaysia has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy. Members of the Supervisory Committee are as follows:

**Aini Ideris, PhD**

Professor  
Faculty of Veterinary Medicine  
Universiti Putra Malaysia  
(Chairman)

**Abdul Rahman Omar, PhD**

Associate Professor  
Faculty of Veterinary Medicine  
Universiti Putra Malaysia  
(Member)

**Datin Khatijah Yusoff, PhD**

Professor  
Faculty of Biotechnology and Biomolecular Sciences  
Universiti Putra Malaysia  
(Member)



---

**AINI IDERIS, PhD**

Professor/Dean  
School of Graduate Studies  
Universiti Putra Malaysia

Date: 13 APR 2006

## DECLARATION

I hereby declare that the thesis is based on my original work except for quotations and citations, which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Putra Malaysia or other institutions.



**BROOMAND CHAHARAEIN**

Date: 20-03-06

## TABLE OF CONTENTS

	Page
<b>DEDICATION</b>	2
<b>ABSTRACT</b>	3
<b>ABSTRAK</b>	5
<b>ACKNOWLEDGEMENTS</b>	8
<b>APPROVAL</b>	10
<b>DECLARATION</b>	12
<b>LIST OF TABLES</b>	16
<b>LIST OF FIGURES</b>	18
<b>LIST OF ABBREVIATIONS</b>	21
 <b>CHAPTER</b>	
 <b>I INTRODUCTION</b>	 26
 <b>II LITERATURE REVIEW</b>	 31
Influenza Virus	31
Resistance to Physical and Chemical Agents	33
Morphology and Viral Proteins	34
Replication and Life Cycle	39
Antigenic Variation	41
Transmission	43
Public Health	44
Pathogenesis	49
Clinical Signs and Pathology	52
Prevention and Control	54
Vaccination	56
Diagnosis	58
Polymerase Chain Reaction Based Assays	60
Multiplex RT-PCR	61
RT-PCR–ELISA	62
Real-Time PCR	63
Avian Influenza in Malaysia	65
 <b>III CHARACTERISATION OF H9N2 SUBTYPE ISOLATED FROM IRAN</b>	 67
Introduction	67
Materials and Methods	71
Virus	71
Viruses Propagation (First Passage)	71
Haemagglutination Test (HA)	72
Haemagglutination Inhibition Test (HI)	73
Viruses Propagation (Second and Third Passages)	73

	Titration of H9N2 Virus	74
	<i>In vivo</i> replication of Subtype H9N2	75
	Intravenous Pathogenicity Index (IVPI)	77
	IVPI calculation	77
Results		78
	Virus propagation	78
	Replication of H9N2 Virus in SPF Chickens	79
	Intravenous Pathogenicity Index	79
Discussion		85
<b>IV</b>	<b>DEVELOPMENT OF CONVENTIONAL AND MULTIPLEX RT-PCR FOR RAPID DETECTION OF AVIAN INFLUENZA VIRUS</b>	89
	Introduction	89
	Materials And Methods	92
	Viruses	92
	Primer Design	92
	RNA Extraction	94
	Optimization of Multiplex-PCR	95
	Amplification of NP and HA Genes in Single Reaction	96
	Multiplex-PCR	97
	Comparison of Conventional PCR with Multiplex PCR	98
	Agarose Gel Electrophoresis	98
	Sequence Analysis	99
Results		101
	Primer design	101
	Nucleoprotein Amplification	102
	Amplification of HA Genes in Single Reaction	102
	Multiplex One Tube RT-PCR	107
	Comparison of Conventional PCR With Multiplex PCR	107
	Sequence Analysis	112
Discussion		123
<b>V</b>	<b>DEVELOPMENT OF RT-PCR ELISA FOR RAPID DETECTION AND SUBTYPING OF INFLUENZA VIRUS</b>	128
	Introduction	128
	Materials and Methods	131
	Viruses	131
	RNA extraction	131
	Primers	132
	RT-PCR Amplification	132
	Agarose Gel Electrophoresis	133
	RT-PCR-ELISA Optimisation	133
	Experimental Infection	134
	Sample Collection	135
	Sample Preparation	137
	RT-PCR-ELISA	137

	Comparison of Gel Electrophoresis and RT-PCR- ELISA	138
	Specificity of RT-PCR-ELISA	139
	Optimisation of One-Tube SYBR Green I Real Time PCR	139
	Comparison of Sensitivity of Gel Electrophoresis, RT-PCR-ELISA and Real Time PCR	140
Results		141
	One Tube NP RT-PCR	141
	RT-PCR Amplification of H5, H7 AND H9 AIV Subtypes	141
	RT-PCR-ELISA Optimisation	145
	Experimental Infection	149
	Application of RT-PCR ELISA on Experimental Samples	149
	Determination of the Detection Limit of RT-PCR ELISA	151
	Optimisation of SYBR Green I Real-Time PCR	157
	Comparisons of Sensitivities of Different PCR Assays	157
Discussion		160
<b>VI</b>	<b>EVALUATION OF THE DEVELOPED CONVENTIONAL RT-PCR, MULTIPLEX RT-PCR AND RT-PCR-ELISA FOR RAPID DETECTION OF AVIAN INFLUENZA VIRUS IN MALAYSIA</b>	<b>166</b>
	Introduction	166
	Materials and Methods	167
	Sample Collection	167
	Sample Preparation	169
	RNA Extraction	169
	Conventional RT-PCR	169
	RT-PCR-ELISA	170
	Primer Design	170
	Sequence Analysis	171
Results		172
	Conventional RT-PCR	172
	Multiplex RT-PCR	172
	NA Subtyping	173
	RT-PCR ELISA	173
	Sequence Analysis	174
	SPF Eggs Inoculation	175
Discussion		195
<b>VII</b>	<b>GENERAL DISCUSSION AND CONCLUSION</b>	<b>199</b>
	Future Studies and Suggestions	208
	<b>REFERENCES</b>	<b>210</b>
	<b>APPENDICES</b>	<b>239</b>
	<b>BIODATA OF THE AUTHOR</b>	<b>248</b>
	<b>PUBLICATIONS</b>	<b>250</b>



## LIST OF TABLES

Table	Page
3.1: Fifty Percent Embryo Lethal Dose (ELD <sub>50</sub> /ml) of the H9N2.	80
3.2: Serum antibody production in SPF chickens infected with H9N2 Virus.	81
3.3: Replication of H9N2 in different organs of infected SPF chickens.	82
3.4: Intravenous pathogenicity index (IVPI) of H9N2 isolate in SPF chickens.	83
4.1: The list of different subtypes of AIVs type A used for optimization of the PCR based assays.	93
4.2: The designed primer sets to amplify NP and HA (H5, H7, and H9) genes.	94
4.3: Minimum time and cycles required for cDNA synthesis and PCR products to be detected by agarose gel electrophoresis.	110
5.1: DIG and Biotin labelled primer sets for RT-PCR amplification of NP and HA (H5, H7 and H9) genes.	132
5.2: The swab and organ samples collected from experimentally infected SPF chickens based on day of infection.	136
5.3: Comparative sensitivity of RT-PCR, RT-PCR-ELISA (using NP primer) and virus isolation for detection of H9N2 from tracheal and cloacal swab of experimentally infected chickens.	152
5.4: Comparative sensitivity of RT-PCR and RT-PCR-ELISA and virus isolation for detection of H9N2 from different organ samples of experimentally infected chickens.	153
5.5: Detection of H9N2 virus from serially diluted tracheal swabs from experimentally infected chickens by NP based RT-PCR, RT-PCR-ELISA and virus isolation.	154

6.1: Properties of the samples collected from different origins.	167
6.2: The designed primer sets to amplify NA1 and NA2 genes.	171
6.3: The list of viruses used for optimization of NA1 and NA2 genes.	171
B.1: Colorimetric analysis of PCR products of tracheal swabs from experimental samples using NP primer.	241
B. 2: Colorimetric analysis of PCR products of tracheal swabs from experimental samples using HA (H9 specific) primer.	242
B. 3: Colorimetric analysis of PCR products of cloacal swabs from experimental samples using NP primer.	243
B. 4: Colorimetric analysis of PCR products of cloacal swabs from experimental samples using HA (H9 specific) primer.	244
B. 5: Colorimetric analysis of PCR products of organs from experimental samples using NP primer.	245
B. 6: Colorimetric analysis of PCR products of organs from experimental samples using HA (H9 specific) primer.	245
B. 7: Colorimetric analysis of PCR products of tracheal swabs (one day before inoculation) from experimental samples using NP primer.	245
B. 8: Colorimetric analysis of PCR products of cloacal swabs (one day before inoculation) from experimental samples using NP primer.	246
B. 9: Colorimetric analysis of PCR products of tracheal swabs from suspected samples using NP primer.	246
B.10: Colorimetric analysis of PCR products of cloacal swabs from suspected samples using NP primer.	247
B. 11: Colorimetric analysis of PCR products of organs from suspected samples using NP primer.	247

## LIST OF FIGURES

Figure	Page
2.1: Diagram of influenza virus structure partially cut away to reveal internal structures and genome RNA segments.	36
2.2: Host range of influenza virus.	45
3.1: Histopathological lesions in lung of a dead SPF chicken following inoculation with H9N2.	84
4.1: RT-PCR amplification of the NP gene of influenza virus.	103
4.2: RT-PCR amplification of a 244 bp fragment of the HA gene of two H9 subtypes.	104
4.3: RT-PCR amplification of HA gene of two H5 subtypes of influenza A viruses.	105
4.4: Amplification of HA gene of two H7 subtypes of influenza A viruses.	106
4.5: Analysis of multiplex RT-PCR of different strains of influenza viruses for simultaneous detection of their subtype.	109
4.6: Analysis of multiplex RT-PCR of different subtypes of influenza viruses type A.	111
4.7: Partial nucleotide sequences (from 886-993) alignment of NP gene of A/HK/ 822/01(H5N1), A/1234/94 (H7N1) and A/16/ 2000 (H9N2) with published sequences.	113
4 8: Partial nucleotide sequences (from 628- 945) alignment of HA gene of A/HK/ 822/01 (H5N1), with published sequences of H5 subtypes of AIV.	115
4.9: Partial nucleotide sequences (from 389-781) alignment of HA gene of A/1234/94 (H7N1) with published sequences of H7 subtypes of AIV.	118

4.10: Partial nucleotide sequences (from 305-512) alignment of HA gene of A/16/ 2000 (H9N2) with published sequences of H9 subtypes of AIV.	121
5.1: RT-PCR amplification of NP gene of different subtypes of type A influenza viruses.	142
5.2: RT-PCR amplification of H5, H7 and H9 subtypes of AIV detected by agarose gel electrophoresis and colorimetric assays.	143
5.3: Detection of AIV subtypes H5 and H7 and H9 by RT-PCR.	144
5.4: Optimum concentration of streptavidin in colorimetric assay.	146
5.5: Optimum concentration of anti-digoxigenin in colorimetric assay.	147
5.6: The effect of incubation time of the peroxidase enzyme substrate complex on OD value.	148
5.7: Comparison of detection of AIV by gel electrophoresis and RT-PCR-ELISA using NP primer.	155
5.8: Detection limit of RT-PCR and RT-PCR-ELISA in detecting serially diluted samples of H9N2 using H9 primer.	156
5.9: Detection limit of SYBR Green I based real time PCR for the detection of AIV.	158
5.10: Melting temperature analysis for detection of H9N2 isolate.	159
6.1: The steps of the detection of AIVs from suspected samples.	168
6.2: Agarose gel electrophoresis analysis of PCR products of suspected samples.	175
6.3: Agarose gel electrophoresis analysis of PCR products of HA gene amplified by subtype-specific HA primers.	176
6.4: Agarose gel analysis of amplified products of multiplex RT-PCR targeting simultaneously subtype-specific HA genes.	177

6.5: Agarose gel analysis of amplified product of different NA subtypes of influenza virus.	178
6.6: Colorimetric detection of PCR products amplified from RNA of suspected HPAI.	179
6.7: Partial nucleotide sequence alignment of HA gene of Malaysian H5N1 isolate with published sequences.	180
6.8: Partial amino acid sequence alignment of HA gene of Malaysian H5N1 isolate with published sequences.	184
6.9: Partial nucleotide sequence alignment of NA gene from bases 463 to 894 of Malaysian H5N1 isolate with published sequences.	186
6.10: Partial amino acid sequence alignment (from 155 to 358) of NA gene of Malaysian H5N1 isolate with published sequences.	191
6.11: Percent Identity and divergence of HA gene of Malaysian H5N1 isolate with published sequences in GenBank.	193
6.12: Percent Identity and divergence of NA gene of Malaysian H5N1 isolate with published sequences in GenBank.	194

## LIST OF ABBREVIATIONS

AF	Allantoic fluid
AC	Antigen capture
AGDP	Agar gel diffusion precipitation
AIV	Avian Influenza Virus
bp	Base pair
C	Cytosine
Ca	Calcium
CAM	Chorioallantoic membrane
cDNA	Complementary deoxyribonucleic acid
CEF	Chicken embryo fibroblast
CEK	Chicken embryo kidney
cm	Centimetres
CPE	Cytopathic effect
°C	Degree Celsius
d-	Deoxy
DAS-ELISA	Double antibody sandwich-ELISA
dd	Dideoxy
DNA	Deoxyribonucleic acid
ds	Double stranded
DTT	Dithiothreitol
<i>E. coli</i>	<i>Escherichia coli</i>
EDTA	Ethylene diamine tetra acetic acid
ELD <sub>50</sub>	Embryo lethal dose fifty percent
ELISA	Enzyme-linked immunosorbent assay

Fig	Figure
FMDV	Foot and mouth disease virus
HA	Haemagglutinin
HAU	Haemagglutination Unit
HCl	Hydrochloric acid
HI	Haemagglutination Inhibition
HIV	Human immunodeficiency virus
HPAI	Highly pathogenic avian influenza
IBD	Infectious bursal disease
IBDV	Infectious bursal disease virus
kb	kilobase
kDa	kilodalton
kV	kilovolt
LPAI	Low pathogenic avian influenza
M	Molar
Mab	Monoclonal antibody
Mg	Magnesium
ml	Millilitre
M1	Matrix one
MVP	Malaysian Vaccine and Pharmaceutical Sdn Bhd
mM	Millimolar
$\mu\text{m}$	Micrometre
$\mu\text{g}$	Microgram
NA	Neuraminidase
NaCl	Sodium chloride
NCR	Non coding region

ng	Nanogramme
nm	Nanometre
NO <sub>2</sub>	Nitrogen dioxide
NP	Nucleoprotein
NS1	Non Structural Protein 1
NS2	Non Structural Protein 2
ORF	Open reading frame
PA	Polymerase A
PB1	Polymerase B1
PB2	Polymerase B2
PBS	Phosphate buffered saline
PCR	Polymerase chain reaction
pg	Picogram
p.i	Post-inoculation
RFLP	Restriction fragment length polymorphism
RT- PCR	Reverse-transcriptase polymerase chain reaction
RNA	Ribonucleic acid
RdRp	RNA dependent –RNA polymerase
SD	Standard deviation
SDS	Sodium dodecyl sulphate
SN	Serum neutralisation test
SPF	Specific-pathogen-free
SPSS	Statistical package for social science
ss	Single stranded
TAE	Tris-acetate-EDTA
TBE	Tris-borate-EDTA



TE	Tris-EDTA
TEM	Transmission electron microscopy
T <sub>m</sub>	Melting temperature
Tris	2-amino-2-(hydroxymethyl)-1, 3 propandiol
U	Uracyl
UPM	Universiti Putra Malaysia
VRI	Veterinary Research Institute
vRNPs	Viral ribonucleoprotein particles
vv	Very virulent
w/v	Weight/volume